

$b(E) \times 10^6$ [cm²g⁻¹] for
barium fluoride (BaF₂)
 $\langle Z/A \rangle = 0.42207$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.1904	0.4473	0.3939	2.0317
5.	1.6414	1.3428	0.4200	3.4042
10.	2.0088	2.0396	0.4108	4.4591
20.	2.3862	2.7132	0.3911	5.4906
50.	2.8821	3.7193	0.3776	6.9791
100.	3.2367	4.3917	0.3693	7.9978
200.	3.5628	4.9937	0.3653	8.9218
500.	3.9322	5.5532	0.3653	9.8506
1000.	4.1571	5.8545	0.3710	10.3827
2000.	4.3340	6.0723	0.3803	10.7866
5000.	4.5001	6.2556	0.3972	11.1530
10000.	4.5834	6.3408	0.4141	11.3383
20000.	4.6391	6.3962	0.4339	11.4692
50000.	4.6854	6.4379	0.4647	11.5880
100000.	4.7062	6.4554	0.4910	11.6527