

$N(1900) \ 3/2^+$ $I(J^P) = \frac{1}{2}(3/2^+)$ Status: **** **$N(1900)$ POLE POSITION****REAL PART**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|------------------------|------|---|
| 1900 to 1940 (\approx 1920) OUR ESTIMATE | | | |
| 1945 ± 35 | ANISOVICH | 17A | DPWA Multichannel |
| $1928 \pm 18 \pm 2$ | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1856 | HUNT | 19 | DPWA Multichannel |
| 1912 ± 30 | ² ANISOVICH | 17A | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 1910 ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| 1910 ± 30 | GUTZ | 14 | DPWA Multichannel |
| 1910 | SHKLYAR | 13 | DPWA Multichannel |
| 1900 ± 30 | ANISOVICH | 12A | DPWA Multichannel |

¹ Fit to the amplitudes of HOEHLER 79.² Statistical error only.**–2×IMAGINARY PART**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|------------------------|------|---|
| 100 to 200 (\approx 150) OUR ESTIMATE | | | |
| $135 \begin{smallmatrix} +70 \\ -30 \end{smallmatrix}$ | ANISOVICH | 17A | DPWA Multichannel |
| $152 \pm 40 \pm 9$ | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 241 | HUNT | 19 | DPWA Multichannel |
| 166 ± 30 | ² ANISOVICH | 17A | L+P $\gamma p, \pi^- p \rightarrow K \Lambda$ |
| 280 ± 50 | SOKHOYAN | 15A | DPWA Multichannel |
| 280 ± 50 | GUTZ | 14 | DPWA Multichannel |
| 173 | SHKLYAR | 13 | DPWA Multichannel |
| $200 \begin{smallmatrix} +100 \\ -60 \end{smallmatrix}$ | ANISOVICH | 12A | DPWA Multichannel |

¹ Fit to the amplitudes of HOEHLER 79.² Statistical error only. **$N(1900)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|-------------------------------|
| 2 to 6 (\approx 4) OUR ESTIMATE | | | |
| 4 ± 2 | SOKHOYAN | 15A | DPWA Multichannel |
| $4 \pm 1 \pm 1$ | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 4 ± 2 | GUTZ | 14 | DPWA Multichannel |
| 10 | SHKLYAR | 13 | DPWA Multichannel |
| 3 ± 2 | ANISOVICH | 12A | DPWA Multichannel |

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

| <u>VALUE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------------------|
| –50 to 10 (\approx –20) OUR ESTIMATE | | | |
| –10 \pm 40 | SOKHOYAN | 15A | DPWA Multichannel |
| –29 \pm 15 \pm 2 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| –10 \pm 40 | GUTZ | 14 | DPWA Multichannel |
| –64 | SHKLYAR | 13 | DPWA Multichannel |
| 10 \pm 35 | ANISOVICH | 12A | DPWA Multichannel |
| ¹ Fit to the amplitudes of HOEHLER 79. | | | |

 $N(1900)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N\eta$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.05 \pm 0.02 | 70 \pm 60 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Lambda K$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|-------------------|
| 0.03 \pm 0.02 | 90 \pm 40 | ANISOVICH | 17A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.07 \pm 0.03 | 135 \pm 25 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Sigma K$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.04 \pm 0.02 | 110 \pm 30 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N(1535)\pi$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.04 \pm 0.01 | 170 \pm 30 | GUTZ | 14 | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Delta(1232)\pi$, *P*-wave

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.07 \pm 0.04 | –65 \pm 30 | SOKHOYAN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Delta(1232)\pi$, *F*-wave

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.10 \pm 0.05 | 80 \pm 30 | SOKHOYAN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N(1520)\pi$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.07 \pm 0.04 | –105 \pm 35 | SOKHOYAN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N\sigma$

| <u>MODULUS</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.03 \pm 0.02 | –110 \pm 35 | SOKHOYAN | 15A | DPWA Multichannel |

$N(1900)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 1890 to 1950 (\approx 1920) OUR ESTIMATE | | | |
| 1911 ± 6 | ¹ HUNT | 19 | DPWA Multichannel |
| 1910 ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| 1998 ± 3 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1910 ± 30 | GUTZ | 14 | DPWA Multichannel |
| 1905 ± 30 | ANISOVICH | 12A | DPWA Multichannel |
| 1900 ± 8 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 1951 ± 53 | PENNER | 02C | DPWA Multichannel |
| ¹ Statistical error only. | | | |

 $N(1900)$ BREIT-WIGNER WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 100 to 320 (\approx 200) OUR ESTIMATE | | | |
| 292 ± 16 | ¹ HUNT | 19 | DPWA Multichannel |
| 270 ± 50 | SOKHOYAN | 15A | DPWA Multichannel |
| 359 ± 10 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 270 ± 50 | GUTZ | 14 | DPWA Multichannel |
| 250^{+120}_{-50} | ANISOVICH | 12A | DPWA Multichannel |
| 101 ± 15 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 622 ± 42 | PENNER | 02C | DPWA Multichannel |
| ¹ Statistical error only. | | | |

 $N(1900)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| Γ_1 $N\pi$ | 1–20 % |
| Γ_2 $N\eta$ | 2–14 % |
| Γ_3 $N\eta'$ | 4–8 % |
| Γ_4 $N\omega$ | 7–13 % |
| Γ_5 ΛK | 2–20 % |
| Γ_6 ΣK | 3–7 % |
| Γ_7 $N\pi\pi$ | 40–80 % |
| Γ_8 $\Delta(1232)\pi$ | 30–70 % |
| Γ_9 $\Delta(1232)\pi$, P -wave | 9–25 % |
| Γ_{10} $\Delta(1232)\pi$, F -wave | 21–45 % |
| Γ_{11} $N\rho$ | |
| Γ_{12} $N\rho$, $S=1/2$ | |
| Γ_{13} $\Lambda K^*(892)$ | < 0.2 % |

| | | |
|---------------|--------------------------|---------------|
| Γ_{14} | $N\sigma$ | 1–7 % |
| Γ_{15} | $N(1520)\pi$ | 7–23 % |
| Γ_{16} | $N(1535)\pi$ | 4–10 % |
| Γ_{17} | $p\gamma$ | 0.001–0.025 % |
| Γ_{18} | $p\gamma$, helicity=1/2 | 0.001–0.021 % |
| Γ_{19} | $p\gamma$, helicity=3/2 | <0.003 % |
| Γ_{20} | $n\gamma$ | <0.040 % |
| Γ_{21} | $n\gamma$, helicity=1/2 | <0.007 % |
| Γ_{22} | $n\gamma$, helicity=3/2 | <0.033 % |

$N(1900)$ BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$ | | | | | | Γ_1/Γ |
|--------------------------------------|--------------------|-------------|----------------|--|--|-------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | | |

2 to 20 (≈ 10) OUR ESTIMATE

| | | | | | |
|---------|----------------------|-----|------|--------------|--|
| 1.9±0.1 | ¹ HUNT | 19 | DPWA | Multichannel | |
| 3 ±2 | SOKHOYAN | 15A | DPWA | Multichannel | |
| 25 ±1 | ¹ SHKLYAR | 13 | DPWA | Multichannel | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|-------|-----------------------|-----|------|--------------|--|
| 3 ±2 | GUTZ | 14 | DPWA | Multichannel | |
| 3 ±2 | ANISOVICH | 12A | DPWA | Multichannel | |
| 7 ±4 | ¹ SHRESTHA | 12A | DPWA | Multichannel | |
| 16 ±2 | PENNER | 02C | DPWA | Multichannel | |

¹Statistical error only.

| $\Gamma(N\eta)/\Gamma_{\text{total}}$ | | | | | | Γ_2/Γ |
|---------------------------------------|--------------------|-------------|----------------|--|--|-------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | | |

| | | | | | |
|---------|----------------------|-----|------|--------------|--|
| 1.3±0.5 | ¹ HUNT | 19 | DPWA | Multichannel | |
| 2 ±2 | ¹ SHKLYAR | 13 | DPWA | Multichannel | |
| 10 ±4 | ANISOVICH | 12A | DPWA | Multichannel | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|-------|-----------------------|-----|------|--------------|--|
| < 1 | ¹ SHRESTHA | 12A | DPWA | Multichannel | |
| 14 ±5 | PENNER | 02C | DPWA | Multichannel | |

¹Statistical error only.

| $\Gamma(N\eta')/\Gamma_{\text{total}}$ | | | | | | Γ_3/Γ |
|--|--------------------|-------------|----------------|--|--|-------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | | |

| | | | | | |
|-----------|-----------|-----|------|--------------|--|
| 0.06±0.02 | ANISOVICH | 17C | DPWA | Multichannel | |
|-----------|-----------|-----|------|--------------|--|

| $\Gamma(N\omega)/\Gamma_{\text{total}}$ | | | | | | Γ_4/Γ |
|---|--------------------|-------------|----------------|--|--|-------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | | |

| | | | | | |
|------|----------------------|----|------|--------------|--|
| 15±8 | DENISENKO | 16 | DPWA | Multichannel | |
| 10±3 | ¹ SHKLYAR | 13 | DPWA | Multichannel | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|------|--------|-----|------|--------------|--|
| 39±9 | PENNER | 02C | DPWA | Multichannel | |
|------|--------|-----|------|--------------|--|

¹Statistical error only.

| $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ | | | | | Γ_5/Γ |
|---|-----------------------|-------------|----------------|--------------|----------------------|
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 13.7±0.3 | ¹ HUNT | 19 | DPWA | Multichannel | |
| 16 ±5 | ANISOVICH | 12A | DPWA | Multichannel | |
| 2.4±0.3 | ¹ SHKLYAR | 05 | DPWA | Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 14 ±5 | ¹ SHRESTHA | 12A | DPWA | Multichannel | |
| 5 to 15 | NIKONOV | 08 | DPWA | Multichannel | |
| 0.1±0.1 | PENNER | 02C | DPWA | Multichannel | |
| ¹ Statistical error only. | | | | | |
| $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ | | | | | Γ_6/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 5±2 | ANISOVICH | 12A | DPWA | Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 1±1 | PENNER | 02C | DPWA | Multichannel | |
| $\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$ | | | | | Γ_{13}/Γ |
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| <0.002 | ANISOVICH | 17B | DPWA | Multichannel | |
| $\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ | | | | | Γ_{12}/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 32±7 | ¹ HUNT | 19 | DPWA | Multichannel | |
| ¹ Statistical error only. | | | | | |
| $\Gamma(N\sigma)/\Gamma_{\text{total}}$ | | | | | Γ_{14}/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 4±3 | SOKHOYAN | 15A | DPWA | Multichannel | |
| $\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$ | | | | | Γ_{15}/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 15±8 | SOKHOYAN | 15A | DPWA | Multichannel | |
| $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ | | | | | Γ_{16}/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 7±3 | GUTZ | 14 | DPWA | Multichannel | |
| $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ | | | | | Γ_9/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 17±8 | SOKHOYAN | 15A | DPWA | Multichannel | |
| $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ | | | | | Γ_{10}/Γ |
| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 33±12 | SOKHOYAN | 15A | DPWA | Multichannel | |

$N(1900)$ PHOTON DECAY AMPLITUDES AT THE POLE **$N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|-------------------|
| 0.026 ± 0.014 | 60 ± 35 | SOKHOYAN | 15A | DPWA Multichannel |

 $N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>MODULUS ($\text{GeV}^{-1/2}$)</u> | <u>PHASE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------------------------|--------------------|-------------|-------------------|
| -0.070 ± 0.030 | 70 ± 50 | SOKHOYAN | 15A | DPWA Multichannel |

 $N(1900)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 0.040 ± 0.004 | ¹ HUNT | 19 | DPWA Multichannel |
| 0.024 ± 0.014 | SOKHOYAN | 15A | DPWA Multichannel |
| -0.008 ± 0.001 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 0.024 ± 0.014 | GUTZ | 14 | DPWA Multichannel |
| 0.026 ± 0.015 | ANISOVICH | 12A | DPWA Multichannel |
| 0.041 ± 0.008 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.017 | PENNER | 02D | DPWA Multichannel |

¹Statistical error only. **$N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$**

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| -0.094 ± 0.007 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.067 ± 0.030 | SOKHOYAN | 15A | DPWA Multichannel |
| < 0.001 | SHKLYAR | 13 | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.067 ± 0.030 | GUTZ | 14 | DPWA Multichannel |
| -0.065 ± 0.030 | ANISOVICH | 12A | DPWA Multichannel |
| -0.004 ± 0.006 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 0.031 | PENNER | 02D | DPWA Multichannel |

¹Statistical error only. **$N(1900) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| <u>VALUE ($\text{GeV}^{-1/2}$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 0.007 ± 0.014 | ¹ HUNT | 19 | DPWA Multichannel |
| 0.000 ± 0.030 | ANISOVICH | 13B | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.010 ± 0.004 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.016 | PENNER | 02D | DPWA Multichannel |

¹Statistical error only.

$N(1900) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|-------------------|
| 0.007±0.011 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.060±0.045 | ANISOVICH | 13B | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.011±0.007 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.002 | PENNER | 02D | DPWA Multichannel |
| ¹ Statistical error only. | | | |

 $N(1900)$ REFERENCES

| | | | |
|-----------|-----|----------------|---|
| HUNT | 19 | PR C99 055205 | B.C. Hunt, D.M. Manley |
| ANISOVICH | 17A | PRL 119 062004 | A.V. Anisovich <i>et al.</i> |
| ANISOVICH | 17B | PL B771 142 | A.V. Anisovich <i>et al.</i> |
| ANISOVICH | 17C | PL B772 247 | A.V. Anisovich <i>et al.</i> |
| DENISENKO | 16 | PL B755 97 | I. Denisenko <i>et al.</i> |
| SOKHOYAN | 15A | EPJ A51 95 | V. Sokhoyan <i>et al.</i> (CBELSA/TAPS Collab.) |
| GUTZ | 14 | EPJ A50 74 | E. Gutz <i>et al.</i> (CBELSA/TAPS Collab.) |
| SVARC | 14 | PR C89 045205 | A. Svarc <i>et al.</i> (RBI Zagreb, UNI Tuzla) |
| ANISOVICH | 13B | EPJ A49 67 | A.V. Anisovich <i>et al.</i> |
| SHKLYAR | 13 | PR C87 015201 | V. Shklyar, H. Lenske, U. Mosel (GIES) |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> (BONN, PNPI) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley (KSU) |
| NIKONOV | 08 | PL B662 245 | V.A. Nikonov <i>et al.</i> (Bonn, Gatchina) |
| SHKLYAR | 05 | PR C72 015210 | V. Shklyar, H. Lenske, U. Mosel (GIES) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel (GIES) |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> (KARLT) |